

3857

ENTEREDWATER WELL REPORT
STATE OF WASHINGTONStart Card No. W054058
Water Right Permit No.


(1) OWNER: Name HANSEN, CHARLOTTE		Address 2223 BENSON RD S APT 5102 RENTON, WA 98055-29/35-126F	
(2) LOCATION OF WELL: County ISLAND		- SE 1/4 NW 1/4 Sec 26 T 29 N., R 3E WM	
(2a) STREET ADDRESS OF WELL (or nearest address) DEER LAKE & WINTERGREEN			
(3) PROPOSED USE: DOMESTIC		(10) WELL LOG	
(4) TYPE OF WORK: Owner's Number of well (If more than one) Method: ROTARY NEW WELL		Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.	
(5) DIMENSIONS: Diameter of well 6 inches Drilled 140 ft. Depth of completed well 137 ft.		MATERIAL	
(6) CONSTRUCTION DETAILS: Casing installed: 6 " Dia. from +2.5 ft. to 133 ft. WELDED " Dia. from ft. to ft. " Dia. from ft. to ft.		FROM TO	
Perforations: NO		BROWN SILT SAND & GRAVEL 0 15	
Type of perforator used		BROWN SAND & GRAVEL 15 19	
SIZE of perforations in. by in.		BROWN CLAY & GRAVEL 19 25	
perforations from ft. to ft.		GRAY SAND & GRAVEL 25 32	
perforations from ft. to ft.		GRAY CLAY SAND & GRAVEL 32 42	
perforations from ft. to ft.		GRAY SAND & GRAVEL 42 54	
Screens: YES		BROWN SAND & GRAVEL 54 55	
Manufacturer's Name HALLIBURTON		BROWN CLAY & GRAVEL 55 57	
Type STAINLESS STEEL Model No.		GRAY CLAY & GRAVEL 57 60	
Diam. 6 slot size 20 from 132 ft. to 137 ft.		BROWN CLAY GRAVEL & SAND 60 62	
Diam. slot size from ft. to ft.		GRAY CLAY GRAVEL & SAND 62 64	
Gravel packed: NO		BROWN CLAY & GRAVEL 64 67	
Gravel placed from ft. to ft.		BROWN SILT SAND & GRAVEL 67 75	
Surface seal: YES To what depth? 18 ft.		BROWN SAND & GRAVEL 75 102	
Material used in seal BENTONITE		GRAY SAND GRAVEL & WATER 102	
Did any strata contain unusable water? NO			
Type of water? Depth of strata ft.			
Method of sealing strata off			
(7) PUMP: Manufacturer's Name AERMOTOR			
Type SUBMERSIBLE H.P. 2			
(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.			
Static level 102.1 ft. below top of well Date 01/04/95			
Artesian Pressure lbs. per square inch Date			
Artesian water controlled by			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level.		Work started 12/21/94 Completed 12/23/94	
Was a pump test made? YES If yes, by whom? JERRY BACUS		WELL CONSTRUCTOR CERTIFICATION:	
Yield: 30 gal./min with 4.5 ft. drawdown after 4 hrs.		I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.	
Recovery data		NAME HAYES DRILLING, INC.	
Time Water Level Time Water Level Time Water Level		(Person, firm, or corporation) (Type or print)	
Date of test		ADDRESS 556 ERSBIG RD. BOW, WA	
Bailer test 10 gal./min. .5 ft. drawdown after 1 hrs.		[SIGNED] Roy E. Smith License No. 2204	
Air test 30 gal./min. w/ stem set at 134 ft. for 1 hrs.		Contractor's	
Artesian flow g.p.m. Date		Registration No. HAYESDI106J5 Date 01/10/95	
Temperature of water Was a chemical analysis made? YES			

RECEIVED

JAN 12 1995

DEPT. OF ECOLOGY

WELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: APH008

RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Hansen, G & C Water System

RECEIVED

Street Address: _____

APR 05 2007

City: CLINTON

State: WA

DEPT. OF ECOLOGY

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 6616 Maple Leaf Dr/R32926-252-1820

City: Clinton

County: Island

T. 29N

R. 03E W.M.

Sec. 26

NE 1/4 of the SW 1/4

FOR AGENCY USE ONLY

Latitude: 47 58.19798

Longitude: 122 23.42891

Elevation at land surface 381 feet meters (circle one)

Additional Information, if available:

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from
DEM and GPS XY Coordinates

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Pumphouse Is Red Straight Ahead. Use Gate On Left For Access

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well?

☐

Yes

☒

No

If yes, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 29N/03E-26

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right #

Date Issued:

Circle One:

Application

Permit

Certificate

Claim

Exempt

3857

ENTERED

WATER WELL REPORT
STATE OF WASHINGTONStart Card No. W054058
Water Right Permit No.

(1) OWNER: Name HANSEN, CHARLOTTE		Address 2223 BENSON RD S APT 5102 RENTON, WA 98055-2936-126F	
(2) LOCATION OF WELL: County ISLAND		- SE 1/4 NW 1/4 Sec 26 T 29 N., R 3E WM	
(2a) STREET ADDRESS OF WELL (or nearest address) DEER LAKE & WINTERGREEN			
(3) PROPOSED USE: DOMESTIC		(10) WELL LOG	
(4) TYPE OF WORK:	Owner's Number of well (If more than one) Method: ROTARY	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.	
NEW WELL			
(5) DIMENSIONS:	Diameter of well 6 inches		
Drilled 140 ft.	Depth of completed well 137 ft.		
(6) CONSTRUCTION DETAILS:			
Casing installed: 6	" Dia. from +2.5 ft. to 137 ft.		
WELDED	" Dia. from ft. to ft.		
	" Dia. from ft. to ft.		
Perforations: NO			
Type of perforator used	in. by in.		
SIZE of perforations			
perforations from	ft. to ft.		
perforations from	ft. to ft.		
perforations from	ft. to ft.		
Screens: YES			
Manufacturer's Name	HALLIBURTON		
Type STAINLESS STEEL	Model No.		
Diam. 6 slot size 20	from 132 ft. to 137 ft.		
Diam. slot size	from ft. to ft.		
Gravel packed: NO	Size of gravel		
Gravel placed from	ft. to ft.		
Surface seal: YES	To what depth? 18 ft.		
Material used in seal BENTONITE			
Did any strata contain unusable water? NO			
Type of water?	Depth of strata ft.		
Method of sealing strata off			
(7) PUMP: Manufacturer's Name AERMOTOR	Type SUBMERSIBLE	H.P. 2	
(8) WATER LEVELS:	Land-surface elevation	ft.	
Static level 102.1 ft. below top of well	Date 01/04/95		
Artesian Pressure lbs. per square inch	Date		
Artesian water controlled by			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level.			
Was a pump test made? YES	If yes, by whom? JERRY BACUS		
Yield: 30 gal./min with 4.5 ft. drawdown after 4 hrs.			
Recovery data			
Time Water Level	Time Water Level	Time Water Level	
Date of test			
Bailer test 10 gal./min. .5 ft. drawdown after 1 hrs.			
Air test 30 gal./min. w/ stem set at 134 ft. for 1 hrs.			
Artesian flow g.p.m.	Date		
Temperature of water	Was a chemical analysis made? YES		
		MATERIAL	
		FROM TO	
		BROWN SILT SAND & GRAVEL 0 15	
		BROWN SAND & GRAVEL 15 19	
		BROWN CLAY & GRAVEL 19 25	
		GRAY SAND & GRAVEL 25 32	
		GRAY CLAY SAND & GRAVEL 32 42	
		GRAY SAND & GRAVEL 42 54	
		BROWN SAND & GRAVEL 54 55	
		BROWN CLAY & GRAVEL 55 57	
		GRAY CLAY & GRAVEL 57 60	
		BROWN CLAY GRAVEL & SAND 60 62	
		GRAY CLAY GRAVEL & SAND 62 64	
		BROWN CLAY & GRAVEL 64 67	
		BROWN SILT SAND & GRAVEL 67 75	
		BROWN SAND & GRAVEL 75 102	
		GRAY SAND GRAVEL & WATER 102	
		RECEIVED	
		APR 05 2007	
		DEPT. OF ECOLOGY	
		RECEIVED	
		JAN 12 1995	
		DEPT. OF ECOLOGY	
		Work started 12/21/94	
		Completed 12/23/94	
		WELL CONSTRUCTOR CERTIFICATION:	
		I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.	
		NAME HAYES DRILLING, INC.	
		(Person, firm, or corporation) (Type or print)	
		ADDRESS 556 ERSHIG RD. BOW, WA	
		[SIGNED] <i>Roy E. Hayes</i> License No. 2204	
		Contractor's	
		Registration No. HAYESD1106J5 Date 01/10/95	

WELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.